



Transport
Canada

Transports
Canada

HARRY FROESE INC.
general contractors

HARRY P. FROESE

Cell 604 309 4892
Off. 604 856 2141
HPFroese@shaw.ca

2110 BRADNER RD
ABBOTSFORD, B.C.
CANADA V4X 1C3

E
|||
4)

C-GNSZ

Propeller Logbook

Canada

Volume #: _____

Opened on: _____

PROPELLER DETAILS

1. Manufacturer HARTZELL

2. Type/Model/Series HC-C3YR-1RF/F7282

3. Serial Number DY7246B

4. Date of Manufacture 5/8/2007

5. Pitch lock settings

Date	_____ / _____ / _____	_____ / _____ / _____	_____ / _____ / _____
a) High	<u>30.5</u>	_____	_____
b) Low	<u>11.8</u>	_____	_____
c) Reverse	<u>Ø</u>	_____	_____

Other related TC Publications:
TP 14089B Aircraft Journey Log
TP 14058E/F Airframe Log
TP 14182E/F Engine Log

Previous Edition:
TP 3910E, 2nd Edition (Jan. 1987)

Printed in Canada.

Please direct your comments, orders and inquiries to:

Transport Canada
Civil Aviation Communications Centre (AARC)
Place de Ville
Tower C, 5th Floor
330 Sparks Street
Ottawa, ON K1A 0N8

Telephone: 1 800 305-2059
Fax: 513 957-4208
E-mail: services@tc.gc.ca

© Her Majesty the Queen in Right of Canada, as represented by the Minister of Transport (2004).

© Permission granted for internal use only.

This publication may be reproduced for internal use only without permission provided the source is fully acknowledged. However, multiple copy reproduction of this publication in whole or in part for purposes of resale or redistribution requires prior written permission from the Minister of Public Works and Government Services, Ottawa, Ontario, Canada K1A 0S5 or at copyright.droitdauteur@communication.gc.ca.

TP 14201E
(01/2004)

Catalogue No.
T52-4/3-2003E

Section 1: Record of propeller maintenance and elementary work

Date --/--/--	Time since new	Time since overhaul	Details of task								
HARTZELL PROPELLER INC INSPECTION			Item Number: C3R00021	Date: 5/8/2007							
			Work Order #: M524070								
Model Number HC-C3YR-1RF/F7282			Hydr Unit No. NA	Bulkhead No. NA	Valve No. NA						
Assy Ser No. DY7246B			Blade 1 K55383	Blade 2 K55381	Blade 3 K55379	Blade 4	Blade 5	Blade 6			
Reverse NA	Start Lock NA	Low Pitch 11.8	High Pitch 30.5	Feather NA	Position 3	Orient. L	Qty:Al 1	St 0	Scrw 0	A-2424-1 0	Washer 0
Ref Radius (inches) for angles: 30					3	T	0	0	2	0	0
Comments: Deice Kit: NA											
Packing Certified By: <i>P.D.</i>			Date: <i>5/8/07</i>								

The approved design data for this propeller incorporates all changes required by applicable Airworthiness Directives.

The maintenance described above has been performed in accordance with the applicable standards of airworthiness. *inspected C-6N92 July 20/07 off m6023*



IDENT: C-6N92 -ANNUAL INSPECTION COMPLETED AS PER CAR 625.86 APP B&C
 INSP: ANNUAL -SHELL W80 DIL USED
 DATE: 09-Nov-2009-AD CF-90-03R2 PART 1 & CF-87-15R2 PART C C/W NO DEFECTS
 A/F TTSN: 1840.6 -#1 72 2 72 3 74 4 74/80
 LAST INS: 1798.9 -TACH TESTED A/C 2000 ACTUAL 2098 RPM
 TIME SLT: 41.7 -COMPASS SWUNG
 ENG. TSO: 24.2 -FOR 000 30 60 90 120 150 180 210 240 270 300 330
 PROP TSO: 24.2 -STR 358 28 58 88 120 152 181 210 242 272 301 330
 ---ELT TESTED & BATTERY REPLACED BY NOV 2011
 STARTER LEAD REROUTED AND CLAMPED CORRECTLY
 ADJUSTED IDEL MIXTURE LEAN 2 CLICKS
 THE MAINTENANCE DESCRIBED HEREIN HAS BEEN PERFORMED IN ACCORDANCE WITH THE
 APPLICABLE STANDARDS OF AIRWORTHINESS
 LICENCE NO. N295219
 AMO #19-90
 MILIP BELL
 09-Nov-2009

Section 1: Record of propeller maintenance and elementary work

Date --/--/--	Time since new	Time since overhaul	Details of task
JULY 20 '07	00	00	INSTALLED AT 1816.4 TTAF


IDENT: C-GNSZ -ANNUAL INSPECTION COMPLETED AS PER CAR 625.66 APP B&C
 INSP: ANNUAL -SHELL W80 OIL USED
 DATE: 08-Dec-2010-AD CF-90-03R2 PART 1 & CF-87-15R2 PART C C/W NO DEFECTS
 A/F TTSN: 1840.6 -R1 77 2 76 3 78 4 76/80
 LAST INS: 1798.9 -PLACARDS ON PANEL MADE LEGIBLE OR REPLACED
 TIME SLT: 41.7 -CLEANED CONNECTIONS FOR SEVERAL POST LIGHTS
 ENG. TSO: 24.2 -ELT TESTED BATT DUE NOV 2011
 PROP TSO: 24.2 -TACH TESTED A/C 2000 ACTUAL 2094 RPM
 COMPASS SWUNG
 FOR 000 30 60 90 120 150 180 210 240 270 300 330
 STR 358 28 58 89 120 151 182 211 241 271 301 330
 THE MAINTENANCE DESCRIBED HEREIN HAS BEEN PERFORMED IN ACCORDANCE WITH THE
 APPLICABLE STANDARDS OF AIRWORTHINESS.
 LICENCE NO. M295219
 PHILIP BELL
 AND R19-90
 08-Dec-2010

MAR 23 2007	24.2	24.2	PROP REMOVED FOR
05/16/17	24.2	00.00	

Northwest Propeller Service, Inc.
 16607 103rd Ave. Ct. E.
 Puyallup, WA 98374
 REPAIR STATION No. IT6R625N
 W/O: 27861, Mfg.: Hartzell, Model: HC-C3YR-1RF, S/N: DY7246B
 T.S.O. 00.00, T.T. 24.2
 Complete overhaul of propeller per Hartzell Manuals 113B R43, 133C R34, 159 R58
 and 202A Vol.(1 R55, 2 R29, 3 R38, 6 R34, 7 R44, 8 R32, 9 R31, 10 R34, 11 R36.) C/W
 2007-26-09; S/B's HC-ASB-61-263 R2, HC-SB-61-(118F and 136 RI).
 Ken Shuler
 Inspector
 Cert. No. 2647558
 16/MAY/2017

OVERHAUL


[Signature]



Section 1: Record of propeller maintenance and elementary work

Date --/--/--	Time since new	Time since overhaul	Details of task
------------------	-------------------	------------------------	-----------------


IDENT: C-GNSZ -ANNUAL INSPECTION COMPLETED AS PER CAR 625.86 APP. B&C
 INSP: ANNUAL -MANUFACTURERS INSPECTION SHEETS USED AS A GUIDE
 DATE: 07-Jul-2017 -AD CF-90-03R2 PT I HEAT MUFF NO DEFECTS
 A/F TTSN: 1840.6 -AD 2011-10-09 PT 6 SEAT RAIL NO DEFECTS
 LAST INS: 1840.6 -AD 2015-19-07 PT E INJ LINES FCW AT ENGINE REPAIR THIS DATE
 TIME SLI: 41.7 -MINERAL 20W50 DIL USED
 ENG. TSO: 24.2 -ENGINE REMOVED AND REPAIRED BY OKANAGAN AERO ENGINE FTH INV20559
 PROP TSO: 0 -ENGINE REINSTALLED, TIME CONTINUED
 L PROP T: -PROPELLER REMOVED AND OVERHAULED BY NORTHWEST PROP SERVICES
 R PROP T: -MOR 27861. PROP REINSTALLED
 WORK ORDER: 22059 -PROP GOVERNOR OVERHAULED WINGS WEST GOVERNOR EX & OH FTH MW140289



THE MAINTENANCE DESCRIBED HEREIN HAS BEEN PERFORMED IN ACCORDANCE WITH THE APPLICABLE STANDARDS OF AIRWORTHINESS.

LICENCE NO. 295219
 PHILIP GELL
 AMD R19-90
 07-Jul-2017

IDENT: C-GNSZ -ANNUAL INSPECTION COMPLETED AS PER CAR 625.86 APP. B&C
 INSP: ANNUAL -MANUFACTURERS INSPECTION SHEETS USED AS A GUIDE
 DATE: 09-Oct-2018 -NO AD OR SERVICE BULLETIN SEARCH REQUESTED BY OWNER
 A/F TTSN: 1845.6 -R1 78 2 77 3 77 4 76/80
 LAST INS: 1840.6 -OIL AND FILTER NOT CHANGED AT THIS TIME AS REQUESTED BY OWNER
 TIME SLI: 9 -AD CF-90-03R2 PT I HEAT MUFF CW NO DEFECT
 ENG. TSO: 33.2 -AD 2011-10-09 PT 6 SEAT RAIL CW NO DEFECT
 PROP TSO: 9 -AD 2015-19-07 PT E INJ LINES CW NO DEFECT
 -REPLACED L/H LANDING LIGHT
 -CLEANED CONTACTS FOR BEACON BULB
 -REPLACED BRACKETT AIR FILTER ELEMENT, ENGINE
 WORK ORDER: 22555




THE MAINTENANCE DESCRIBED HEREIN HAS BEEN PERFORMED IN ACCORDANCE WITH THE APPLICABLE STANDARDS OF AIRWORTHINESS.

LICENCE NO. 295219
 PHILIP GELL
 AMD R19-90
 09-Oct-2018

Signature	AME ACA/AMO SCA/AMO
-----------	---------------------------



IDENT: C-GNSZ -AS PER EMAIL REQUEST DATED AUG 14 2018 FROM BRUCE NOURISH
 INSP: ANNUAL -ROTATED CLAMP FOR L/H MUFFLER AIR INLET SCAT HOSE
 DATE: 09-Oct-2018 -INSTALLED BAS FRONT INERTIA SHOULDER HARNESS ASSY L/R POSITIONS
 A/F TTSN: 1849.6 -AS PER STC SA2067NM
 LAST INS: 1840.6 -ADDED 2.3 LBS AT 110.0" AFT DATUM
 TIME SLI: 9 -NEW EMPTY WEIGHT 1822.7 LBS C OF 6 102.3" AFT DATUM
 ENG. TSO: 33.2 -
 PROP TSO: 9 -FOUND STC SA716L BRACKETT AIR FILTER AND
 -STC SA1556GL, HARTZELL PROPELLER AND STC SA01118WI, CONCORDE BATTERY
 -INSTALLED AS PER STC.
 WORK ORDER: 22605



THE MAINTENANCE DESCRIBED HEREIN HAS BEEN PERFORMED IN ACCORDANCE WITH THE APPLICABLE STANDARDS OF AIRWORTHINESS.

LICENCE NO. 295219
 PHILIP GELL
 AMD R19-90
 09-Oct-2018

Section 1: Record of propeller maintenance and elementary work

Date --/--/--	Time since new	Time since overhaul	Details of task	Signature	AME ACA/AMO SCA/AMO
			<p>IDENT: C-6NSZ -AIRFRAME CESSNA 177RG S/N 177RG0954 TCDS A20CE REV23 INSP: ANNUAL -ENGINE LYCOMING IO-360-A1B6D S/N L-15781-51A TCDS 1E10 REV 28 DATE:09-Oct-2018-PROPELLER HARTZELL HC-C3YR-1RF S/N DY7246B TCDS P25EA REV 29 A/F TTSN: 1849.6 -AIRCRAFT INSPECTED FOR CONFORMITY TO TCDS A20CE REV 23 LAST INS: 1840.6 -IAW CAR PART V SUBPART 9, STD 509 TIME SLI: 9 -100 HOUR INSPECTION CARRIED OUT IAW CAR 625.86 APPENDIX B&C ENG. TSO: 33.2 -PLACARDS CHECKED AND INSTALLED AS REQUIRED BY TCDS,POH AND STC'S PROP TSO: 9 -FIRE EXTINGUISHER AND FIRST AID KIT INSTALLED -TACHOMETER CALIBRATION PERFORMED -APARS CARRIED OUT IAW CAR 571 APPENDIX B AND F 16 JUNE 2017 WORK ORDER:22605 -COMPASS SWUNG OCT 9 2018</p>		
			<p>THE MAINTENANCE DESCRIBED HEREIN HAS BEEN PERFORMED IN ACCORDANCE WITH THE APPLICABLE STANDARDS OF AIRWORTHINESS.</p> <p>LICENCE NO. 295219  AND R19-90 PHILIP GELL 09-Oct-2018</p>		
			<p>IDENT: C-6NSZ -ELT CERTIFIED IAW CAR 571 APP 6 AUG 3 2018 BY BAKERVIEW AVIATION INSP: ANNUAL -WEIGHT AND BALANCE AMENDMENT COMPLETED OCT 9 2018 DATE:09-Oct-2018-BASIC EMPTY WEIGHT IS 1822.7 LBS ARM 102.3 INCHES A/F TTSN: 1849.6 -USEFUL LOAD 977.3 LBS ON WHEELS LAST INS: 1840.6 -ALL LIFE LIMITED COMPONENTS ARE VERIFIED WITHIN LIMITS TIME SLI: 9 -THESE AD'S COMPLIED WITH AT TIME OF EXPORT ENG. TSO: 33.2 -CF-90-03R2 PT I, 2011-10-09 PT G, 2015-19-07 PT E PROP TSO: 9 -AIRWORTHINESS DIRECTIVES FOR TCCA AND FAA REVIEWED FOR COMPLIANCE AND -LISTED IN TECHNICAL RECORDS -ALL APPLICABLE AIRWORTHINESS DIRECTIVES FOUND COMPLIED WITH TO DATE WORK ORDER:22605</p>		
			<p>THE MAINTENANCE DESCRIBED HEREIN HAS BEEN PERFORMED IN ACCORDANCE WITH THE APPLICABLE STANDARDS OF AIRWORTHINESS.</p> <p>LICENCE NO. 295219  AND R19-90 PHILIP GELL 09-Oct-2018</p>		

