

3

AIRCRAFT LOG
AL-12P

AIRCRAFT SUPPLY SPECIALTY CO.

PO: F32294 LOT: 30-12590



P/N: AL-12P

LOC: 21JG

39929

AIRCRAFT LOG AL-12P

#3

TABLE OF CONTENTS

Introduction	1
Chapter I	10
Chapter II	25
Chapter III	40
Chapter IV	55
Chapter V	70
Chapter VI	85
Chapter VII	100
Chapter VIII	115
Chapter IX	130
Chapter X	145
Chapter XI	160
Chapter XII	175
Chapter XIII	190
Chapter XIV	205
Chapter XV	220
Chapter XVI	235
Chapter XVII	250
Chapter XVIII	265
Chapter XIX	280
Chapter XX	295
Chapter XXI	310
Chapter XXII	325
Chapter XXIII	340
Chapter XXIV	355
Chapter XXV	370
Chapter XXVI	385
Chapter XXVII	400
Chapter XXVIII	415
Chapter XXIX	430
Chapter XXX	445
Appendix	460
Bibliography	475
Index	490



SECTION SEQU

- 1st SEC
- 2nd SEC
- 3rd SEC
- 4th SEC
- 5th SEC

- 6th SEC
- 7th SEC
- 8th SEC
- 9th SEC

Aircraft Log TABLE OF CONTENTS

SECTION SEQUENCE	DESCRIPTION OF SECTION	PAGE NUMBER
1st SECTION	AIRCRAFT DESCRIPTION	i
2nd SECTION	INSTALLED EQUIPMENT	1
3rd SECTION	MAJOR ALTERATIONS	3
4th SECTION	LIFE LIMITED PARTS OR OVERHAUL REQUIREMENTS	5
5th SECTION	AIRWORTHINESS DIRECTIVE OR FACTORY BULLETIN COMPLIANCE RECORD	9
6th SECTION	ALTIMETER & STATIC SYSTEM CHECKS [FAR 91.411]	17
7th SECTION	RADIO AND ELECTRONIC CHECKS	19
8th SECTION	MAINTENANCE RECORD [FAR 43.9]	29
9th SECTION	INSPECTION RECORD [FAR 43.11-91.409]	43

Aero Products Corporation

Copyright 1975 All Rights Reserved

TABLE OF CONTENTS

MANUFACTURER Cessna
SERIAL NUMBER 17702133
REGISTERED OWNER Robert B. Pitt
STREET ADDRESS 1049 Hall
CITY, STATE, ZIP Scottsville, KY
OPERATOR _____
STREET ADDRESS _____
CITY, STATE, ZIP _____
REGISTERED OWNER _____
STREET ADDRESS _____
CITY, STATE, ZIP _____
OPERATOR _____
STREET ADDRESS _____
CITY, STATE, ZIP _____

AIRCRAFT DESCRIPTION

BEGINNING 19 JULY, 2002

MANUFACTURER Cessna MODEL 177B DATE OF MFG. 1975
SERIAL NUMBER 17702133 REGISTRATION NUMBER N34981

REGISTERED OWNER Robert B. Pitchford
STREET ADDRESS 1049 HALIFAX-PAILEY RD
CITY, STATE, ZIP SCOTTSDALE, KY. 42164

OPERATOR _____
STREET ADDRESS _____
CITY, STATE, ZIP _____

REGISTERED OWNER _____
STREET ADDRESS _____
CITY, STATE, ZIP _____

OPERATOR _____
STREET ADDRESS _____
CITY, STATE, ZIP _____

Inspection Status

[Check one]

F.A.R. 91.409 ANNUAL/100 HOUR

F.A.R. 91.409 PROGRESSIVE

F.A.R. 135.419 A.T.C.O.

OTHER

DATE ENTERED _____

MAINTENANCE RESPONSIBILITY

INSTALLED EQUIPMENT

ITEM	MANUFACTURER	MODEL	SERIAL NO.
ENGINE	Lycoming	D-360-A1F6D	R L-19038-36A
ENGINE			L
PROPELLER			R
PROPELLER			L
ENGINE			
ENGINE			
PROPELLER			
PROPELLER			
ENGINE			
ENGINE			
PROPELLER			
PROPELLER			
ENGINE			
ENGINE			
PROPELLER			
PROPELLER			

1

MAINTENANCE RECORD

F.A.R. 43.9

AGENCY & CERTIFICATE NO.
PERFORMED/RETURNED TO SERVICE

DATE OF
COMPLETION

AIRCRAFT TIME
IN SERVICE

DESCRIPTION OF WORK PERFORMED
OR APPROVED DATA USED

AGENCY & CERTIFICATE NO.
WORK PERFORMED/RETURNED TO SERVICE

12/20/02

666.0

Installed \$-TEC System 30 autopilot system per \$TC. Installed P\$ Engineering PCD 7100P CD player per P\$ Engineering install manual. \$-TEC A/P FMS was provided for customer. FAA form 337 was completed. A new weight + balance was calculated. All work on W.O. # 53544.

SMYRNA AIR CENTER
HANGER 621 SMYRNA AIRPORT
SMYRNA TN 37167
615-459-3337

R\$ # RG7R91M
Ron Dupler

MAINTENANCE RECORD F.A.R. 43.9

DATE OF COMPLETION	AIRCRAFT TIME IN SERVICE	DESCRIPTION OF WORK PERFORMED OR APPROVED DATA USED	AGENCY & CERTIFICATE NO. WORK PERFORMED/RETURNED TO SERVICE
--------------------	--------------------------	---	---

SMYRNA AIR CENTER

SMYRNA, TN. 37167

DATE 12-24-02 N34981

CESSNA 177B

SN 17702133

TACH 668.9

REPLACED FUEL QUANTITY SENDING UNIT WITH NEW PN C668050-0101, SN 1064 & CALIBRATED PER SERVICE MANUAL. THE ABOVE WORK WAS DONE I.A.W. MFG. MM. AND DETERMINED TO BE AIRWORTHY WITH RESPECT TO THE WORK PERFORMED. DETAILS ON FILE AT SMYRNA AIR CENTER UNDER WO#17920.

K-McWhorter
CRS RG4R491M KEVIN MCWHORTER

4-2-03	684.1 TACH	2264.8 TAF Removed All Panels & Fairings INSP. All Cables & Pulleys & Lubed. INSP. Wheel Bearings & Brakes serviced Brake By Back Bleeding Lubed All Control Surfaces & Flap Tracks. Complied with A.D. 87-20-03 R2 Seat Tracks By visual INSP. Next Due at 4-2-04 / 084.1 TACH. INSP & Tested EMT, Batt Due March 04 Serviced A/CFT Batt. Lubed Flap Jackscrew. Replaced All Panels & Fairings (Next Page)	
--------	------------	---	--

DATE OF COMPLETION	AIRCRAFT TIME IN SERVICE
4-2-03	684.1
4-2-03	
8-29-03	

MAINTENANCE RECORD F.A.R. 43.9

AGENCY & CERTIFICATE NO.
PERFORMED/RETURNED TO SERVICE

DATE OF
COMPLETION

AIRCRAFT TIME
IN SERVICE

DESCRIPTION OF WORK PERFORMED
OR APPROVED DATA USED

AGENCY & CERTIFICATE NO.
WORK PERFORMED/RETURNED TO SERVICE

4-2-03

6841 TACH
2264.8 TT

I certify that this aircraft
HAS BEEN INSPECTED IN
ACCORDANCE WITH AN ANNUAL
INSPECTION AND WAS DETERMINED
TO BE IN AN AIRWORTHY CONDITION
AT THIS TIME.

Rolt J. Dwyer
403860476 IA

4-2-03

6841 TACH

INSTALLED EXHAUST FAIRING
IAW STC # SA01386NY
P/N EPS001-01 S/N W0302156
SEE 337 DATED THIS DATE

Rolt J. Dwyer
AIP 403860476

8-29-03

706.9 TACH

INSTALLED NEW TEMPEST VAC
PUMP DISC OK O.K.

Rolt J. Dwyer
AIP 403860476


**MAINTENANCE RECORD
F.A.R. 43.9**

DATE OF COMPLETION	AIRCRAFT TIME IN SERVICE	DESCRIPTION OF WORK PERFORMED OR APPROVED DATA USED	AGENCY & CERTIFICATE NO. WORK PERFORMED/RETURNED TO SERVICE
8-30-03	706.0 tach	R+R Northstar M-1 Lozpa - for DATA BASE UPDATE ^{AS of} (10 July 03) RDR owner	
9/18/03		Removed ARC R543B glideslope receiver (Zochan) and installed serviceable ARC R443B glideslope receiver (Zochan). No weight or balance change. Minor alteration.	
		Smyrna Ref Center R# R64R49IM Rou Wapler	

DATE OF COMPLETION	AIRCRAFT TIME IN SERVICE	M
5-1-04	749.0 tach 23287H	Remo a Pa + R
		Rep
		Rep
		Bl
		Re
		P/N
		2F
		D
		C
		+

MAINTENANCE RECORD

F.A.R. 43.9

AGENCY & CERTIFICATE NO. PERFORMED/RETURNED TO SERVICE	DATE OF COMPLETION	AIRCRAFT TIME IN SERVICE	DESCRIPTION OF WORK PERFORMED OR APPROVED DATA USED	AGENCY & CERTIFICATE NO. WORK PERFORMED/RETURNED TO SERVICE
	5-1-04	7480 Hrs 2328.7 Hrs	Removed All Panels & Fairings & Pulleys Lubed control surfaces. Replaced Left & Right main tires with New tires & tubes Replaced All Brake Pads with New P/N 66-105 Replaced Left & Right Brake Caliper O-Rings P/N 1010520 Blade Brakes Repacked All Bearings & Reinstalled Replaced Reg. Filter P/N B3-5-1 Replaced Inst. Filter P/N D9-14-5. Replaced Left Batt P/N 1020 Tested IAW 91-207 Batt Due App. do serviced Batt. with Distilled water, serviced nose strut & shimmy damper complied with AD 87-20-03 seat tracks by visual & Dial Indicator checks OK. Reinstalled All Panels & Fairings.	
			I certify that this Aircraft has been inspected in accordance with a Annual Inspection and was determined to be in a Airworthy condition at this time	
			 Robert J. [unclear]	403860476 IA

deslope
 called
 deslope
 ht of
 ration.

enter

MAINTENANCE RECORD

F.A.R. 43.9

ORD

AGENCY & CERTIFICATE NO.
WORK PERFORMED/RETURNED TO SERVICE

DATE OF
COMPLETION

AIRCRAFT TIME
IN SERVICE

DESCRIPTION OF WORK PERFORMED
OR APPROVED DATA USED

AGENCY & CERTIFICATE NO.
WORK PERFORMED/RETURNED TO SERVICE

Coron
craft
same

na.
ation.

TER
PORT

12-28-04

792.7 TACH

Removed ACFT MAIN BATTERY, INSTALLED NEW
G-35 7/1 G02165841. SERVICED IAW GILL INSTRUCTIONS

Robert [Signature]
AIP 403860476

12-29-04


793

REPLACED ART HORIZON WITH NEW
RCA 22-7 OPS CHK OK.

W/O # 5875

Ray [Signature]
AIP 2235400


MAINTENANCE RECORD F.A.R. 43.9

DATE OF COMPLETION	AIRCRAFT TIME IN SERVICE	DESCRIPTION OF WORK PERFORMED OR APPROVED DATA USED	AGENCY & CERTIFICATE NO. WORK PERFORMED/RETURNED TO SERVICE
7-5-05	831.0TACH	Removed All Panels + Fairings	
	2416.7TTF	+ Pulleys Inspected wheels + Brakes + Bearings	
		Replaced Reg. Filter P/N B3-5-1	Replaced Inst. Filter
		P/N D9-14-5. C.W AD 87-20-03	seat TRACKS by USOM
		INSP. serviced BATT. with distilled water. Tested ELT	
		As per 91-207 BATT Due Apr. 06	Lubed Flap Jack screw
		+ TRACKS, Installed sound DAMPener EXT. by PS Deshwa	
		CONSULTANTS P/N RSEP-PFO as per INSTALLATION INST.	
		+ Report # 177-2001212. See 337	Dated this Date
		Installed all panel + Fairings	
		I certify that this aircraft has been inspected	
		in accordance with a ANNUAL INSPECTION AND	
		was determined to be in an Airworthy	
		condition at this time	
		 Robert J. Johnson 40386 0476 IA	

DATE OF COMPLETION	AIRCRAFT TIME IN SERVICE	
8-11-06	842.7TACH	Rem
	2428.4TTF	INSP
		Seat
		Two
		Cow
		INST
		Rep
		3A
		AN
		I
		W
		A

MAINTENANCE RECORD

F.A.R. 43.9

AGENCY & CERTIFICATE NO. PERFORMED/RETURNED TO SERVICE	DATE OF COMPLETION	AIRCRAFT TIME IN SERVICE	DESCRIPTION OF WORK PERFORMED OR APPROVED DATA USED	AGENCY & CERTIFICATE NO. WORK PERFORMED/RETURNED TO SERVICE
Lubed All Cables Res + Bearings Inst. Filter TRACKS BY VISOM er. Tested ELT FLAP Jackscrew ert. by PS Desins INSTALLATION INST. ated this Date s BEEN INSPECTED NSPECTION AND rworthy	8-11-06	842.7 Hrs 2428.4 Hrs	Removed All Panels + Fairings INSPE wheels + Bearings. JNSP. BRAKE PADS. C/w AD87-20-08 Seat Tracks Lubed Flap tracks + Jackscrew. Replaced Two ENG. Cowl shock mounts Replaced Three Lower Cowl Fastners Replaced Reg Filter PA 83-5-1 Replaced INST. Filter D9-14-5 Replaced Inlet Air Filter BASTOS Replaced ELT Batt. Performed Function test as per 91-207 Batt. Due Aug. 08. Serviced main Batt. Reinstalled All Panels + Fairings.	Lubed all cables + Pulleys INSPE AD87-20-08 Replaced Replaced Replaced Replaced Reinstalled
			<p>I Certify that this Aircraft has been inspected in accordance with a Annual Inspection and was determined to be in a Airworthy condition at this time</p> <p style="text-align: center;">  403860476 IA </p>	

MAINTENANCE RECORD F.A.R. 43.9

DATE OF COMPLETION	AIRCRAFT TIME IN SERVICE	DESCRIPTION OF WORK PERFORMED OR APPROVED DATA USED	AGENCY & CERTIFICATE NO. WORK PERFORMED/RETURNED TO SERVICE
9-1-07	882.0 TACH 2468.4 TAF	<p>Removed all PANELS & FARNINGS Labeled all CABLES Pulleys. IN SP wheel Bearings + Brakes. Serviced master CYLS Replaced Inlet Air Filter/BAS 705, Replaced Reg. filter B3-5-1. Inst. Filter D9-14-5. Serviced BATT with Distilled water, tested EIT BATT AS Per 91-207 BATT Due <u>AUG 08</u> Complied with AD 87-20-03 seat Tracks. Reinstalled all panels & farnings Ground VAN Checks O.K.</p>	
<p style="text-align: center;">I Certify That This Aircraft HAS BEEN INSPECTED IN ACCORDANCE WITH A ANNUAL INSPECTION AND WAS DETERMINED TO BE IN A AIRWORTHY CONDITION AT THIS TIME</p>			
<p><i>[Signature]</i> 403860476 IA</p>			

DATE	AIRCRAFT TIME IN SERVICE	SIGNATURE
		N34981 W/O: 6582
		Removed No Garmin GPS 59083746. manual and All work per Updated we
		<i>[Signature]</i> Roger Law

RD

AGENCY & CERTIFICATE NO.
WORK PERFORMED/RETURNED TO SERVICE

Wings Labeled All cables
Wings + Brakes Serviced
Fuel Filter BAS 705, Replaced
AD 9-14-5. Serviced BATT
Replaced EIT BATT AS PER 91-207
Worked with AD 87-20-03 seat
Belts & harnesses Ground VAN

AIRCRAFT HAS BEEN
Inspected with A ANNUAL
Inspection determined to be SM
At this time

IA

INSPECTION RECORD

F.A.R. 43.11-91.409

KIND OF INSPECTION - STATUS & DISCREPANCY LIST
SIGNATURE - CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE


DATE AIRCRAFT TIME IN SERVICE

N34981
W/O: 6582

Tach: 913.7

Hobbs: 913.5
Date: 6-6-2008

Removed Northstar GPS-60 and antenna. Installed
Garmin GPS150XL s/n 81703636 and GA56 s/n
59083746. Tested system IAW Garmin installation
manual and AC20.138A. Placarded unit "VFR ONLY".
All work performed IAW current approved procedures.
Updated weight/balance and equipment list.


Roger Lawson, AP2235400

INSPECTION RECORD

F.A.R. 43.11-91.409

AIRCRAFT FOR SERVICE


d All cables
 serviced Brake
 Replaced Ref.
 iced Batt.
 207. Batt Due
 + track by visual
 Reinstalled
 has been
 Annual inspect
 they condition

DATE	AIRCRAFT TIME IN SERVICE	KIND OF INSPECTION - STATUS & DISCREPANCY LIST SIGNATURE - CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE
11-7-08	938.4 TACH	Removed TACH, installed New TACH P/N D1-112-5025
25A1	TAF	S/N 23060 TACH time at 938.4 Ground man checks o.k. Robert J. [Signature] ACP403860476
253.9	TACH	Removed Prop Gov. model C290D3 S/N 740926
6-10-10	32433A	installed new Gasket P/N 72053, Restrictor Plate Gasket MS9144-01. Prop Gov (New) P/N D20893-3 S/N 081016 Ground man checks o.k. no leaks Robert J. [Signature] ACP403860476

NARCO AVIONICS INC.
 SERVICE TAG
 MK 120K
 MODEL # _____
 S/N 22707
 DATE 6-10-10
 W.O.# 32433A
 DETACH AND AFFIX
 TO LOGBOOK

INSPECTION RECORD

F.A.R. 43.11-91.409

DATE	AIRCRAFT TIME IN SERVICE	KIND OF INSPECTION - STATUS & DISCREPANCY LIST SIGNATURE - CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE
10-1-09	955.0	TACH Removed All Panels & Fairings. Lubed All
	2539.6	ATAF Cables & control surfaces, SNKP wheel
		Bearings & Brakes, Replaced All Brake Linings
		P/N 66-105. Serviced Brake Sys. Replaced Door & Baggage
		Compartment seals P/N Door Left & Right C1420
		Baggage P/N C1422. Replaced Inlet Filter P/N BASTOS
		Replaced Reg. Filter B3-5-1 Inst. Filter D2-14-5
		Replaced oil cooler Return hose P/N 11417-65-0224
		By Aero Hose Shop. Tested EHT as per 91-207
		checks O.K. Batt Due Nov 2010, complied with
		AD 87-20-03 seat tracks. Lubed Flaps & Jack screw
		cleaned wing connectors. Repaired wire to cig lights
		Checked ADs to Date. Reinstalled all Panels & Fairings
		Ground run checks O.K.
		I certify that this aircraft has been inspected
		in accordance with a Annual Inspection and was
		determined to be in a Airworthy condition at this
		Time.  AP403860476 IA.

INSPECTION RECORD

F.A.R. 43.11-91.409

CRAFT FOR SERVICE
 bed All cables
 cable, INKSP
 1020 checked
 med with AD
 other RAS 705
 wiring
 has been
 NVAI inspect
 worth condition

DATE	AIRCRAFT TIME IN SERVICE	KIND OF INSPECTION - STATUS & DISCREPANCY LIST SIGNATURE - CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE



809 George Madison Dr.
 Owensboro, KY. 42303
 270-313-4667
 french.connection@earthlink.net

Tested VOR with ramp test set & duplicated problem, removed left front seat, Narco MK 12 & IN 525A plug & checked wiring. Found bad connection in CDI wires & replaced pins, tested wiring & performed shake test & was good. Replaced radio & seat.



N34981 Tach time 990.0 Hobbs 913.5 Make Cessna Model 177 S/N 17702133

DATE 5/13/2011 WO# TFC 11-0076
 FAA A&P 777990

INSPECTION RECORD

F.A.R. 43.11-91.409


DATE	AIRCRAFT TIME IN SERVICE	KIND OF INSPECTION - STATUS & DISCREPANCY LIST SIGNATURE - CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE
6-5-11		Removed ALT. + Voltage Reg. Installed New
990.8 Hrs	913.5 Hrs	Zeftronics Voltage Reg P/N R15V00 Rev.A S/N 214062
		AS per INSTALLATION INSTRUCTIONS. Installed New
		PLANE Power Alternator P/N AL12-F60 S/N 28-11080
		AS per INSTALLATION INSTRUCTIONS. Ground run checks O.K.
		Robert J. [Signature]
		APP 3491819

50

DATE	AIRCRAFT TIME IN SERVICE	
9-22-11		Re
996.3 Hrs		aPc
2577.0 Hrs		Ti
		Re
		P/N
		Re
		E
		W
		E
		A
		S
		Y

INSPECTION RECORD

F.A.R. 43.11-91.409

FOR SERVICE	DATE	AIRCRAFT TIME IN SERVICE	KIND OF INSPECTION - STATUS & DISCREPANCY LIST SIGNATURE - CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE
ed New A 2/12 14062	9-22-11	996.3	Removed All Panels & Fairings checked & Lubed all cables & Pulleys. INSP. Brakes Removed Both main wheels & Rotated
1 New 2/12 11080	2577.0	AFTT	Tires, Repacked Bearings & Reinstalled Replaced Landing Light Replaced Left side Power supply for stroke AeroFLASH 21-08523 R/N 152-0007. Replaced Inlet filter BA 5705. Replaced vac Reg filter Pos-5. INSP. & cleaned fuel screens. Function checked ELT as per 91-207, Battery Due Feb. 13 Complied with AD 11-10-09 seat tracks, rollers & pins. JUSA fuel selector valve INSP. fuel shut-off checks o.k. Checked ADs to Date Reinstalled All Panels & Fairings.
cks o.k.			<p>I certify that this Aircraft has been inspected in accordance with A Annual Inspection and was determined to be in a Airworthy condition at this Time</p> <p style="text-align: right;">  3491819 IA </p>

INSPECTION RECORD

F.A.R. 43.11-91.409

DATE AIRCRAFT TIME IN SERVICE

KIND OF INSPECTION - STATUS & DISCREPANCY LIST
SIGNATURE - CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE

9-28-11

997.0 MeH

Removed Beacon light, PWR supply P/N C 594502-0102
+ Resistor, Installed New wheel LED Light
P/N 7105500 As Per Installation Instructions
And STC# SA615EA functional check, OK.
see 337 Dated this date

Robert [Signature]
AIP 3491819

52

DATE AIRCRAFT TIME IN SERVICE



The Free
Your Air

Compli
A-30

Work

N3492

B
FAA

INSPECTION RECORD F.A.R. 43.11-91.409

AIRCRAFT FOR SERVICE

594502-0102
D Light
Instructions
check, OK.

DATE AIRCRAFT TIME IN SERVICE KIND OF INSPECTION - STATUS & DISCREPANCY LIST
SIGNATURE — CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE




809 George Madison Dr.
Owensboro, KY. 42303
270-313-4667
french.connection@earthlink.net

Complied with FAR 91.413 ARC RT 359A S/N 2140 &
A-30 S/N17885

Work preformed was done I. C. W. FAR 43 App E & F

N34921 Tach time 1006.4 Hobbs Make Cessna Model C177B S/N 17702133


FAA CRS 1TFR462B

DATE 5/18/2012 WO# TFC 12-0170

INSPECTION RECORD

F.A.R. 43.11-91.409

DATE	AIRCRAFT TIME IN SERVICE	KIND OF INSPECTION - STATUS & DISCREPANCY LIST SIGNATURE - CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE
7-1-13		Removed All Panels & Fairings, Lubed All Cables & Pulleys, & Control Surfaces
1020.1	TACH	Replaced VAC. Reg Filter B3-5-1 INST. Filter D9-14-5 Inlet Air Filter
2600.4	AFTT	BA5705. Replaced ELT BATT P/N BP1020 Performed check as per
		91-207 BATT Due Sept 2015. Insp. Brakes, wheels & Bearings
		serviced master CYLS. Complied with AD 11-10-09 seat Locks, Rollers & Tracks
		serviced main Battery. Reinstalled All Panels & Fairings. AD's checked This
		Date.
		<p>I certify that this Aircraft has been inspected in accordance with an annual inspection and was determined to be in a Airworthy condition at this time</p>
		<p>Robt J. [Signature] 3491819IA</p>
10-12-13		INSTALLED New Whelen Beacon P/N 7105500 P/N 00983
1023.5	TACH	Function Check Good.
		<p>Robt J. [Signature] AOP 3491819</p>

DATE	AIRCRAFT TIME IN SERVICE	
4-6-14		
1030.7	TACH	Repl P/N S
8-21-14		Rem
1036.5	TACH	Repl
2616.8	AFTT	ENG.
		Set
		Repl
		Mos
		INS
		OT
		Re
		Ac
		B

INSPECTION RECORD

F.A.R. 43.11-91.409

KIND OF INSPECTION - STATUS & DISCREPANCY LIST

SIGNATURE - CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE

FOR SERVICE

YS, & Control Surfaces

Inlet Air Filter

check as per

els & Bearings

ts, Rollers & Tracks

AD's checked Thru

pected IN

Determined

00 #100983

DATE	AIRCRAFT TIME IN SERVICE	SIGNATURE - CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE
4-6-14		
1030.7	TACH	Replaced Both Flap Switches At Flap Control P/N S1906-1 Adjusted switches. Function checked Robt J. J. [Signature] APP 3491819
8-21-14		Removed All Panels & Fairings, Lubed All Cables & Pulleys.
1036.5	TACH	Replaced VAC. Reg Filter P/N B3-5-1, INST. Filter P/N D9-14-5. INSP.
2616.8	AFTT	ENG. Inlet Filter. Performed ELT Check As per 91-207. Batt Due Sept. 2015. Replaced 5 Lower Cowl Shock mounts P/N J-7444-14
		Repaired INTAKE Shroud to collector. Replaced 4 Rivets to TOP ATTACH MOUNT for Carb Heat Assy. Replaced Tube to Left MAIN tire.
		INSP wheels & Brakes. Complied with AD 11-10-09 seat locks, Rollers & TRACKS by visual & measurement. Checked AD's Thru this Date.
		Reinstalled All Panels & Fairings.
		I Certify That this Aircraft HAS BEEN INSPECTED IN Accordance with A ANNUAL INSPECTION AND WAS DETERMINED TO BE IN A AIRWORTHY CONDITION AT THIS TIME
		Robt J. J. [Signature] 3491819 IA


INSPECTION RECORD

F.A.R. 43.11-91.409

DATE

AIRCRAFT TIME
IN SERVICE

KIND OF INSPECTION - STATUS & DISCREPANCY LIST
SIGNATURE - CERT. NO. OF PERSON APPROVING OR DISAPPROVING



809 George Madison Dr.
Owensboro, KY. 42303
270-313-4667
french.connection@earthlink.net

Complied with FAR 91.413 ARC RT 359A S/N 2140 & A-30 S/N17885

Work preformed was done I. C. W. FAR 43 App E & F

N 34981 Tach time 1032.5 Hobbs Make Cessna Model 177B S/N 17702133

Bill Bee

DATE 5/23/2014 WO# TFC 14-344

FAA CRS 1TFR462B

DATE

AIRCRAFT TIME
IN SERVICE

9-19-15

1047.4

2627.7 TACH

10-16-15

1050.2 TACH

INSPECTION RECORD

F.A.R. 43.11-91.409

DATE	AIRCRAFT TIME IN SERVICE	KIND OF INSPECTION - STATUS & DISCREPANCY LIST SIGNATURE - CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE
2-12-16	1055.4 TACH	Installed New G35 Gill Battery Serviced As Per Gill Instructions. Function Check Good. BATT S/N G02887766 Robt J. [Signature] AIP 3491819
2-19-16	1055.4 TACH 2636.1 TTAF	Complied with SEL-57-03 wings - Lower MAIN SPAR CAP INSPECTION, NO CRACKS OR CORROSION NOTED ON EXTERNAL VISUAL INSPECTION ON BOTH WINGS. Performed INTERNAL INSPECT ON BOTH WINGS, NO CRACKS OR CORROSION NOTED. Next INSP. Due 2-19-17 OR 1155.4 TACH OR 2736.1 TTAF. Robt J. [Signature] AIP 3491819

DATE	AIRCRAFT TIME IN SERVICE	
3APR-1517	1061.7 TACH	R
	2642.0 TTAF	R
		Tire
		No Cr
		Date
		By
		AD
		wi
		Air

AIRCRAFT FOR SERVICE



ry
02887766

lower MAIN SPAR
noted on EXTERNAL
INTERNAL INSPECTION
Next INSP. Due

INSPECTION RECO F.A.R. 43.11-91.409

DATE	AIRCRAFT TIME IN SERVICE	KIND OF INSPECTION - STATUS & DISCREPANCY LIST SIGNATURE - CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE
	5 APR - 15 17	Removed All PANEL & FAIRINGS Lubed All Cables & Pulleys
	1061.7 TMA	INSP. Inlet Air filter. Replaced INst. Filter D9-14-5 VAC. B3-5-1
	2642.0 TMA	Replaced Brake Pads on Right side P/N 66-105 INSP. wheels Tires & Bearings INSP wings Lower MAIN SPAR CAP AS per SEL-57 No cracks or Corrosion Noted Next Due 1161.7 TMA or 12 month from this Date. Performed Check of ELT AS per 91-207 Checks Good BATT Due Dec 2017 Complied with AD 11-10-09 seat tracks & locks By Visual & measurement. Installed New Floor Carpet from Airtex AD's checked Thru this Date
<p>I certify that this Aircraft has been inspected in accordance with a ANNUAL INSPECTION AND WAS DETERMINED TO BE IN A Airworthy condition At this time.</p> <p style="text-align: right;">Robt J. [Signature] 3491819 IA</p>		

INSPECTION RECORD
F.A.R. 43.11-91.409

DATE	AIRCRAFT TIME IN SERVICE	KIND OF INSPECTION - STATUS & DISCREPANCY LIST SIGNATURE - CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE
3-15-17		Removed VACUM PUMP model 215CC S/N C04575
1068.	7 TACH	INSTALLED New ^{own} Pump model 215cc S/N OB1619 with New
		GASKET & Diverter Ring, Ground CAN sys. checks Good.
		 AIP 3491819
MARCH 1, 2018		Removed All Panels & Fairings, Lubed All Cables, Pulleys & Rod
	1088.10 TACH	END Bearings. Complied with SEL-57-03 Lower main SPAN CAP
	2668.9 TACH	INSP. NO CORROSION OR CRACKS NOTED. Replaced ELT Battery
		Performed Check AS per 91-207, checks Good BATT. Due MAR 120
		Replaced INST. Filter D2-14-5 VAC Reg. filter B3-5-1 INSP. wheels
		Tires & Brakes Repacked All Bearings, Serviced Brake master
		Cyls, Complied with AD 11-10-09 seat tracks & pins. By measurement
		VISUAL INSP. AD's checked thru this Date
		I certify that this Aircraft HAS BEEN INSPECTED IN ACCORDANCE
		with A ANNUAL INSPECTION AND WAS DETERMINED TO BE IN AN
		AIRWORTHY CONDITION AT THIS TIME
		 3491819 IA

Registration
N34981

Removed ARC
073432 and
SA04112CH;
requirements
and equipmen

Elizabetown
Addington

INSPECTION RECORD

AIRCRAFT FOR SERVICE

N34981

03/16/18 with New
Checks Good.

Cables, Pulleys & Rod

lower main spar cap

checked ELT Battery

Batt. Due MAR 20

-1 INSP. wheels

Brake master

By measurement

done IN ACCORDANCE

TO BE IN AM

DA

Registration	Work Order	Date	TTAF	TACH	HOBBS
N34981	8372	03/16/18	2669.9	1089.6	

Removed ARC RT359A transponder. Installed Appareo STRATUS ESG transponder P/N 153510-000017 S/N 073432 and AntCom GPS antenna P/N 42G1215A-XT-1 S/N 583649. All work performed IAW STC SA04112CH; AC43.13-1B and AC43.13-2B. The installed ADS-B system meets the performance requirements of 14 CFR 91.227. Ground tested all functions normal after installation. Updated weight/balance and equipment list. Filed FAA Form 337.

Elizabethtown Flying Service, Inc.
Addington Field, EKX

John D. Ellis, AP3073898

Registration	Work Order	Date	TTAF	TACH	HOBBS
N34981	RS4026	03/16/18	2669.9	1089.6	

Verified pressure altitude correlation to primary altimeter IAW 14 CFR 43 App. E. Performed ATCRBS transponder tests required by 14 CFR Part 91.413 and found to comply with 14 CFR Part 43 Appendix F. ADS-B out system tests were performed and found to be in compliance with 14 CFR Part 91.227.

Transponder: Appareo STRATUS ESG S/N 073432

Elizabethtown Flying Service, Inc.
Addington Field, EKX

Jeff Lawson, 2824535
Repair Station AO5R733M

LIST
ING AIRCRAFT FOR SERVICE

Repairs By Ron
Good.


P/N 0752637-116

nitrogen
Aero w/ # 208093

DATE

AIRCRAFT TIME
IN SERVICE

F.A.R. 43.119-1
KIND OF INSPECTION - STATUS & DISCREPANCY LIST
SIGNATURE - CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE



809 George Madison Dr.
Owensboro, KY. 42303
270-313-4667
french.connection@earthlink.n

Complied with FAR 91.411 on United Alt. 5932A-0201
S/N 50913

Work preformed was done I. C. W. FAR 43 App E & F & was
tested to 20k'
Preformed static leak test as per FAR 23.1325 b.2.i



N 34981 Tach time 1100 Hobbs Make Cessna Model 177B S/N 17702133

Bill [Signature] DATE 12/3/2018 WO# TFC 18-733
FAA CRS 1TFR462B

INSPECTION RECORD

F.A.R. 43.11-91.409

KIND OF INSPECTION - STATUS & DISCREPANCY LIST
SIGNATURE - CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE

DATE	AIRCRAFT TIME IN SERVICE	SIGNATURE - CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE
12-8-18	1100.0 TACH	Reinstalled Prop SPINNER P/N 0752637-16 After Repair By ASE I INC. Repaired Carb Heat Box Assy By installing two -3 Rivets, Reinstalled & Rigged. Installed New DG clamp to starter cable, left side TOP ENG mount. Replaced cowl Rivnut on Bottom Cowl Right side. Tie wrapped loose wires aft of MAG. Applied New CHAFING TAPE TO UNDERSIDE OF TOP Cowl for Baffle seal. Ground ran system checks Good. <div style="text-align: center;">  Robt J. Jones AIP 3491819 </div>
1/18/19	Tach 1103.3	Replaced main battery w/ a Gill G-35 SIN G02964026. Serviced w/ acid and charged. Function checked normal. Verified alternator output to be 13.8 V. Adjusted heater control cable. Ops checked good on engine run up. Carver Aero 406 + 208111 <div style="text-align: center;">  Dawn Ward CRS + VRX R118L </div>

DATE AIRCRAFT TIME IN SERVICE



Date: 8/10
Tach time: 1109
Completed an Annual

Inspected
ELT I
by op
and f
337 &
gask
B2D
shut
follo
53-1
in t
uni

Carver Aero, Inc
I certify that this a
Matt Vanlandscho

INSPECTION RECORD

F.A.R. 43.11-91.409

KIND OF INSPECTION - STATUS & DISCREPANCY LIST
SIGNATURE - CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE


DATE	AIRCRAFT TIME IN SERVICE	KIND OF INSPECTION - STATUS & DISCREPANCY LIST
10-2-19	1114 (TACH)	Replaced #2 Comm. Antenna with a used Serviceable Antenna P/N 70-1 S/N 3531 OPs OK good. Carver Aero WO# 208282 Mott / Dan Junt CRS # VRXR118L

Aviation Plus LLC
262-656-1260
Aviationplusllc.com

10/25/2019 N34981 Tach 1116
Replaced cabin door seals, pins and repaired upper hinge wedges.

Robert Russell
Robert Russell 3411885IA

1-17-2020	TACH: 1121.3	REPOSITIONED JPI OAT PROBE TO THE 1/4 WNA. CARVER AERO WO# 208376 CRS # VRXR110L <i>Robert Russell</i>
-----------	--------------	---



Date: 3/3/20


Replaced
C W FAI
Carver Aero. Inc W
Name: Reis Rot
FAA Approved Re

3-25-20 (9
(1)

T FOR SERVICE

the a

INSPECTION RECORD F.A.R. 43.11-91.409



CARVER AERO, Inc.
Municipal Airport
Davenport, IA 52806

T FOR SERVICE

FAA Approved Repair Station No. VRXR118L

Date: 3/3/2020

N 34981

Hobbs: 956.40

S/N: 17702133

Tach: 1,123.00

Replaced both comm antennas w new P N CI-121. Replaced ELT battery w new P N BP-1020.
C W FAR 91.207 (d) inspection. Battery Exp. April 2022.

Carver Aero. Inc Work Order #:

208406

Name: Reis Rotert

Signed:

FAA Approved Repair Station No. VRXR118L

HE

3-25-20 (965.5 HOBBS) REPLACED #1 COMM/NAV KX125 ~~with~~ SN 46627
 (1123.1 TACH) WITH KX125 069-01028-1101 SN 9000
 JOHN R. EDAL N34981 OWNER / PIC John Riv



CARVER AERO, Inc.
Municipal Airport
Davenport, IA 52806

FAA Approved Repair Station No. VRXR118L

Date 9/3/20 N34981 Tach 1131.7

I certify this altimeter, encoder and static system test required by 14 CFR part 91.411 have been performed and found to comply with 14 CFR part 43 appendix E. The altimeter was tested to 20,000ft. The stby alt. was tested to 20,000ft. on this date 9/3/2020

Altimeter Model s/n 50913
Stby Alt Model s/n
Encoder Model s/n 154705

Signature *Carver Ward*

Certificate No. VRXR118L
Carver Aero Inc.
Davenport Iowa

IFR CHECKS w/o# 601007

I certify that the transponder test required by 91.413 have been performed and found to comply with 14 CFR part 43 appendix F

Transponder tested on 9/3/2020
#2 Transponder tested on N/A

Transponder Model Appareo
s/n 73432

#2 Transponder Model N/A
s/n

Signature *Carver Ward*
Certificate No. VRXR118L

Carver Aero Inc.
Davenport Iowa



9/4/2020 Tach 1131.7

Complied with an annu

- 1) C/W ELT inspect
- 2) C/W Plane Pow
- 3) C/W Power Flo
- 4) Repaired instr
- at alternate st
- 5) Tightened fue
- 6) Replaced bot
- 7) Replaced all

See AD list in manil

I certify this airfra
determined to be

INSPECTION RECORD

F.A.R. 43.11-91.409

DATE	AIRCRAFT TIME IN SERVICE	KIND OF INSPECTION - STATUS & DISCREPANCY LIST SIGNATURE - CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE
------	--------------------------	---



CARVER AERO, Inc.

Municipal Airport

Davenport, IA 52806

FAA Approved Repair Station No. VRXR118L

9/4/2020 Tach 1131.7 Total 2712.0 N34981 Cessna 177B w/o# 208489

Complied with an annual inspection and addressed the following:

- 1) C/W ELT inspection i/a/w FAR 91.207(d).
- 2) C/W Plane Power alternator ICA
- 3) C/W Power Flow exhaust ICA
- 4) Repaired instrument static leak by replacing encoder and tightening lines at alternate staic valve.
- 5) Tightened fuel primer and indexed detent with paint.
- 6) Replaced both main tires and repacked wheel bearings w/ grease.
- 7) Replaced all brake linings and R/H brake disc.

See AD list in manilla folder for AD research and compliance.


I certify this airframe has been inspected i/a/w an annual inspection and determined to be in airworthy condition.

Darwin Ward CRS# VRXR118L

18L
w/o# 601007
transponder test required
en performed and found
CFR part 43 appendix F
d on 9/3/2020
sted on N/A
l Appared
n 73432
odel N/A
n
Darwin Ward
VRXR118L
Carver Aero Inc.
Davenport Iowa

T
G AIRCRAFT FOR SERVICE

MOVED AND CLEANED
RETAINER AND
TH RTV.
John Riv
WALL &
INSULATION
AFZO WO# 208996



CARVER AERO, LLC.
Municipal Airport
Davenport, IA 52806

FAA Approved Repair Station No. VRXR118L

Date: 11/16/2021 N 34981 S/N: 17702133
Tach: 1141.4 Total Time: 2721.7 Model: 177B

Completed an Annual Inspection on this aircraft IAW an annual inspection checklist.

- 1 C/W FAR 91.207 (d). ELT bat exp 4-22.
- 2 Replaced button plugs on ailerons.
- 3 Relocated fuel drain handle.
- 4 Replaced rudder cap fairing w/ new and painted.
- 5 Cleaned corrosion on tail nav light ground.
- 6 Replaced L/H main inertube w/ new and repacked bearings. Serviced all tires.
- 7 Performed Dynamic Prop Balancing. Readings of 0.14 IPS @ 2400 RPM.
- 8 Installed USB P/N: 6430102-1 S/N: D21-10048 IAW True Blue installation Manual# 9017942.
- 9 Resecured pilot's cabin door seal w/ RTV.
- 10 Researched and C/W AD's thru 11/16/2021. See Blue Binder for AD compliance records.

Carver Aero, Inc Work Order #: 208732

I certify that this aircraft was inspected IAW an Annual Inspection and was determined to be in airworthy condition.

Name: Reis Rotert

Signed:

FAA Approved Repair Station No. VRXR118L

3/21/22	Tach: 1143.2	Rebuilt R/H Brake cylinder, serviced master cylinder and bled system IAW Cessna MM. Carver Aero WO# 208836 for CRS# VRXR118L
4-4-22		Replaced R/H Rubber brake line at wheel cylinder w/ new P/N S1810-550 Bled brake system. Carver Aero WO. 208854

INSPECTION RECORD F.A.R. 43.11-91.409

KIND OF INSPECTION - STATUS & DISCREPANCY LIST
SIGNATURE - CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE

DISCREPANCY LIST
APPROVING AIRCRAFT FOR SERVICE

ESTIMATED WITH NEW
DATE JUNE 2024
PIC John R. [Signature]

DATE
AIRCRAFT TIME
IN SERVICE

73

INSPECTION RECORD

F.A.R. 43.11-91.409

DATE

AIRCRAFT TIME
IN SERVICE

KIND OF INSPECTION - STATUS & DISCREPANCY LIST
SIGNATURE - CERT. NO. OF PERSON APPROVING OR DISAPPROVING AIRCRAFT FOR SERVICE

74

INSPECTION RECORD
F.A.R. 43.11-91.409

KIND OF INSPECTION - STATUS & DISCREPANCY LIST
SIGNATURE - CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE

74

N 34981
AC LOG 3
LAST PAGE
BACK COVER